|  |                              | Nativ                      | e Plar                          | nts G                                | Growing                      | g Condi                               | tions            |                             |  | in the star   |
|--|------------------------------|----------------------------|---------------------------------|--------------------------------------|------------------------------|---------------------------------------|------------------|-----------------------------|--|---|
| Common name                                  | Botanical name               | Use/Notes                  | Form                            | Size<br>(hxw)                        | Light                        | Soil                                  | Moisture         | Bloom Time                  | Bloom Colour   | Wildlife  |
| Big Blue Stem                                | Andropogon gerardii          | Grass                      | Clumping<br>Grass               | 6'x2'                                | Full Sun                     | Average                               | Dry              | Fall to Winter              | Reddish Purple   | Birds, Butterflies  |
| Black-eyed Susan                             | Rudbeckia hirta              | Massing                    | Upright, forb                   | 4'x1'                                | Full Sun to Part<br>Shade    | Average to Sandy                      | Dry to medium    | Summer                      | Orange   | Bees, Birds, Butterflies  |
| lue and White Bottle<br>Sentian              | Gentiana andrewsii           |                            | Flower                          | 1.5'                                 | Sun to partial<br>shade      | Moist to average                      | Medium to moist  | Summer - Fall               | Blue   | Bumblebees  |
| Blue Beech/ American<br>Iornbeam/ Musclewood | Carpinus caroliniana         |                            | Tree<br>(understory)            | up to 8 m                            | Full sun or shade            | Rich, well drained                    | moist soil       |                             | Yellow, papery<br>fruit  | Squirrels and birds eat flowers and seeds                                 |
| Blue Flag Iris                               | Iris versicolor              |                            | Forb                            | 45 - 75 cm/<br>1.5 - 2.5'            | Sun to part sun              | moist, well-drained soil              |                  | Spring                      | Blue   |   |
| Blue-eyed Grass                              | Sisyrinchium<br>montanum     |                            | Forb                            | 24"/60cm                             | Full sun                     | Moist well-drained                    |                  | June to July                | Light-blue<br>flowers with a<br>yellow eye,<br>grass-like<br>foliage | Bees  |
| Bluestemmed Goldenrod                        | Solidago caesia              |                            | Flower                          | 3'x3'                                | Full sun to part<br>shade    | Average, well<br>drained              | Dry to medium    | Late summer                 | Yellow   | Bees and butterflies  |
| Boneset                                      | Eupatorium<br>perfoliatum    | Specimen,<br>Massing       | Upright, forb                   | 6'x4'                                | Full Sun to Part<br>Shade    | Average                               | Medium to wet    | Summer to fall              | White  | Butterflies   |
| Bottlebrush Grass                            | Elymus hystrix               | Specimen,<br>Massing       | Grass                           | 3'x1.5'                              | Full Sun to Part<br>Shade    | Average, well drained                 | Dry to medium    | Summer (late) to<br>fall    | Green to brown   | Birds   |
| Bush Honeysuckle                             | Diervilla Ionicera           | erosion control            | Shrub, ground<br>cover          | 1-1.2 metres<br>height and<br>spread | Full sun to partial<br>shade | Poor, sandy, well<br>drained          | Dry              | Summer                      | Yellow with red,<br>orange or<br>purple                              | Hummingbirds, birds   |
| Butterfly Milkweed                           | Asclepias tuberosa           | Specimen,<br>Massing       | Forb                            | 1-3' / 30 to<br>90 cm                | Full Sun to light<br>shade   | Well-drained, dry to average moisture | average to dry   | June to<br>September        | Bright Orange  | Butterflies - larval host<br>plants to the Monarch and<br>Queen butterfly |
| Buttonbush                                   | Cephalanthus<br>occidentalis |                            | Shrub                           | up to 5'                             | Full sun to partial<br>sun   |                                       | Moist            | Summer                      | White  | Songbirds, mammals,<br>hummingbirds and<br>butterflies                    |
| Canada (Kalm's) Hawkweed                     | Hieracium kalmii             |                            | Forb                            | 2 to 5 ft                            |                              | Meadows, dry, sandy                   | Drought tolerant | July-Sept                   | Yellow   |   |
| Canada Wild Rye                              | Elymus canadensis            | Specimen,<br>Massing       | Grass                           | 2'x2'                                | Deciduous Shade              | Average to rich                       | Dry to medium    | Summer                      | Yellow / White   | Bees  |
| Cardinal Flower                              | Lobelia cardinalis           | Specimen,<br>Massing       | Upright, forb                   | 3'x1'                                | Full Sun to Part<br>Shade    | Rich, Woodland                        | Medium to wet    | Summer                      | Red  | Bees, Birds, Butterflies  |
| Common Elderberry                            | Sambucus canadensis          | used for wine<br>and jelly | Flowering shrub<br>with berries | 10'/3m                               | Partial shade                | Moist well-drained                    |                  | June                        | White  | Dark-purple fruit attracts<br>song birds                                  |
| Culver's Root                                | Veronicastrum<br>virginiana  |                            | Flower                          | 6'x1'                                | Full sun to part<br>shade    | Average                               | Medium to dry    | Summer                      | White  | Bees, birds, butterflies  |
| Dense Blazing Star                           | Liatris spicata              | Specimen,<br>Massing       | Upright, forb                   | 5'x1'                                | Full Sun to Part<br>Shade    | Rich, Meadow                          | Medium           | Summer                      | Pink/Purple  | Bees, Birds, Butterflies  |
| Dense/Cylindrical Blazing<br>itar            | Liatris cylindracea          |                            | Flower                          | 1-2'/30 to 60<br>cm.                 | Partial shade/sun            | Medium dry soil<br>Prairie/Savannah   | Medium to dry    | Mid-July to early<br>August | Bright purple  | Butterflies, hummingbirds<br>and bees                                     |
| Oowny Yellow Violet                          | Viola pubescens              |                            | Flower                          | 20 to 30 cm                          | Partial shade                | Rich, Woodland                        | Dry              | May to August               | Yellow   | Birds, butterflies, mammals, p<br>ollinators                              |
| Drooping Wood Sedge                          | Carex arctata                |                            | Grass                           | 8" to 40"                            | Partial sun to<br>shade      | Average, well drained                 | Medium           | Summer                      | Green spikes   |   |
| arly Goldenrod                               | Solidago juncea              | Specimen,<br>Massing       | Upright, forb                   | 4'x3'                                | Full Sun to Part<br>Shade    | Average, well drained                 | Dry to medium    | Summer                      | Yellow   | Bees, Birds, Butterflies  |

| AND AND                            | Alt I                           | Nativ                       | e Pla                      | nts G                             | Growing                      | g Condi   | tions                                       |                                     |   | and hu  |
|------------------------------------|---------------------------------|-----------------------------|----------------------------|-----------------------------------|------------------------------|---|---|-------------------------------------|---|---|
| Common name                        | Botanical name                  | Use/Notes                   | Form                       | Size<br>(hxw)                     | Light                        | Soil  | Moisture                                    | Bloom Time                          | Bloom Colour                                  | Wildlife  |
| Evening Primrose                   | Oenothera biennis               | Specimen,<br>Massing        | Upright, forb,<br>biennial | 3' to 5'                          | Full sun to part<br>shade    | Average, medium<br>moisture, well-drained<br>soils but tolerates<br>gravelly or sandy soils                     | Medium, but<br>somewhat<br>drought tolerant | June to Sept.                       | Yellow  | Birds, Butterflies, moths,<br>bees                                      |
| False Solomon Seal                 | Mianthemum<br>racemosa          | medicinal tea               | Flower                     | 1' to 3'                          | Partial to full<br>shade     | Rich, well drained  | Moist                                       | Late spring                         | White to pale<br>yellow, red<br>berries       | Birds and mammals   |
| Flat Topped<br>Goldenrod/Aster     | Aster umbellatus                | Early blooming<br>aster     | Flower                     | 2'-5'h x 2'-4'<br>wide            | Partial sun to full<br>shade | Pond areas, low, wet<br>sandy sites   | Moist                                       | Late Summer                         | White   | Bees and butterflies (host<br>and nectar)                               |
| Golden Alexander                   | Zizea aurea                     | Specimen,<br>massing        | Upright, forb              | 2'x2'                             | Part Sun to Part<br>Shade    | Rich, Woodland  | Medium                                      | Summer                              | Yellow  | Bees, Butterflies   |
| Grassleaved Solidago               | Euthonia graminifolia           |                             | Grass                      | 1 m h x.3 to<br>.9 cm w           | Full Sun                     | Moist with organic matter   | Medium but<br>tolerates dry                 | Summer                              | Yellow  | beees, butterflies, moths,<br>beetles. Goldfinch and<br>Swamp Sparrows. |
| Gray Goldenrod                     | Solidago nemoralis              | Specimen,<br>Massing        | Upright, forb              | 3'x1'                             | Full Sun to Part<br>Shade    | Average, well drained   | Dry to medium                               | Summer (late)                       | Yellow  | Bees, insects   |
| Great Blue Lobelia                 | Lobelia siphilitica             | Specimen,<br>Massing        | Upright, forb              | 2'x1'                             | Full Sun to Part<br>Shade    | Rich, Woodland  | Medium to wet                               | Summer                              | Blue  | Bees, Birds, Butterflies  |
| Greenheaded Coneflower             | Rudbeckia laciniata             | Specimen,<br>Massing        | Upright, forb              | 5'x1'                             | Full Sun to Part<br>Shade    | Average   | Dry to medium                               | Summer                              | Yellow  | Bees, Birds, Butterflies  |
| lairy Beardtongue                  | Penstemon hirsutus              | Specimen,<br>Massing        | Upright, forb              | 3'x1'                             | Full Sun to Full<br>Shade    | Average   | Dry to medium                               | Summer (Early)                      | Pink/Purple                                   | Bees, Butterflies   |
| lop Hornbeam or Ironwood           | Ostyra virginiana               | Strong wood                 | Tree                       | 20' to 30'                        | Sun to partial<br>shade      | Rich, organic matter  | Moist in early<br>stages                    |                                     | Yellow catkins,<br>hop like fruit<br>clusters | Birds and mammals<br>Butterfly larval host                              |
| Indian Cup Plant                   | Silphium perfoliatum            | Specimen,<br>Massing        | Upright, forb              | 8'x2'                             | Full Sun to Part<br>Shade    | Average, well drained   | Dry to medium                               | Summer                              | Yellow  | Bees, Birds, Butterflies  |
| ndian Grass                        | Sorghastrum nutans              | Specimen,<br>Massing        | Clumping<br>Grass          | 5'x1'                             | Full Sun                     | Average, well drained   | Dry   | Summer (late)                       | yellow to light<br>brown                      | Birds, Butterflies  |
| arge-leaved Goldenrod              | Solidago macrophylla            | Specimen,<br>Massing        | Upright, forb              | 105 cm / 42"                      | Full Sun                     | Boreal, and subalpine<br>forests, alpine ravines<br>and plateaus, Sandy<br>and gravelly soils, rocky<br>ledges. |   | Aug. to Sept.                       | Yellow  | Native bees   |
| iatris spicata                     | Blazing Star                    |                             | Forb                       | 1-4'/30 to<br>120 cm.             | Sun/ Shade                   | Medium to Moist soil.<br>Prairie/Savannah   |   | Mid-July to<br>September            |   | Butterflies, hummingbirds<br>and bees                                   |
| little Bluestem                    | Schizachyrium<br>scoparium      | Specimen,<br>Massing        | Grass                      | 2-4'/12 to<br>120 cm.             | Sun                          | Tall grass prairies,  | Dry to moist soil                           | White seedstalks<br>in late October | Blue/green/red<br>hues                        | Butterflies. Birds eat seed   |
| Mayapple                           | Podophyllum<br>peltatum         | can be toxic                | Flower                     | 11" to 1.5'                       | Full to partial<br>shade     | Moist woodland  | Moist                                       | Spring                              | Pink, white                                   | Pollinators   |
| Aoonseed Vine or Yellow<br>Darilla | Menispermum<br>canadense        | can be toxic,<br>aggressive | Vine                       | 9' to 15'                         | Sun to partial sun           | Dry, mesic  | Dry   | Late spring-early<br>summer         | Greenish-yellow,<br>black fruit               |   |
| Nountain Mint (Virginia)           | Pycnanthemum<br>virginiana      | Specimen,<br>Massing        | Upright, forb              | 3'x3'                             | Full Sun to Part<br>Shade    | Rich, Woodland  | Dry to medium                               | Summer                              | White/Pink                                    | Bees, Butterflies   |
| New England Aster                  | Symphyotrichum nova-<br>angliae | Specimen,<br>Massing        | Upright, forb              | 5'x2'                             | Full Sun to Part<br>Shade    | Average, well drained   | Medium                                      | Summer (late)                       | Purple & orange                               | Bees, Birds, Butterflies  |
| New Jersey Tea                     | Ceanothus<br>americanus         | leaves made<br>into tea     | Shrub                      | 2 to 4 ft high,<br>3 to 5 ft wide |                              | Med to very dry, well<br>drained  |   | Late spring to summer               | White   | pollinators, butterflies, bird  |

|                               | 524                            | Nativ                                     | e Plai              | nts G                    | Growing                      | g Condi  | tions                             |                               |   | in the   |
|-------------------------------|--------------------------------|---|---------------------|--------------------------|------------------------------|--|-----------------------------------|-------------------------------|---|--|
| Common name                   | Botanical name                 | Use/Notes                                 | Form                | Size<br>(hxw)            | Light                        | Soil   | Moisture                          | Bloom Time                    | Bloom Colour                                | Wildlife   |
| Nodding Wild Onion            | Allium cernuum                 | Specimen,<br>Massing                      | Bulb/forb           | 1'x1'                    | Full Sun to Part<br>Shade    | Average  | Dry to medium                     | Summer                        | Pink/Purple                                 | Birds, Bees, Butterflies                           |
| Ohio Buckeye                  | Aesculus glabra                | J. J  | Tree                | 30' to 50'               | Sun                          | Loam   | Moist, well<br>drained            | Spring                        | Greenish-Yellow                             | Hummingbirds, mammals, pollinators                 |
| Osage Orange                  | Malcura pomifera               | windbreak                                 | Tree                | 4 to 7 m                 | Full sun                     | Wide variety of soils<br>and pH                          | Tolerates very<br>wet to very dry |                               | green flowers,<br>grapefruit sized<br>fruit | Wildlife eat fruit but not firs<br>choice          |
| Pagoda Dogwood                | Cornus alternifolia            |   | Shrub               | 10' to 25'               | Sun to part shade            | All types  | Dry to moist                      | Early summer                  | Creamy white<br>flowers.                    | Birds and butterflies mammals                      |
| Paw Paw                       | Paw Paw                        | 2 trees needed<br>for fruit (edible)      | Tree                | 15 to 20 ft              | Partial Sun                  |  | Moist                             |                               | Large green<br>fruit, edible                | Beetles and flies pollinate                        |
| Pearly Everlasting            | Anaphalis<br>margaritacea      | Good for dried<br>flowers.                | Flower              | up to 90 cm              | Full Sun                     | Dry meadows and<br>open thickets                         | Dry                               | June to<br>September          | White                                       | Butterflie larva and bees                          |
| Prairie Smoke                 | Geum triflorum                 | Specimen,<br>Massing                      | Clumping, Forb      | 1'x1'                    | Full Sun to Part<br>Shade    | Average  | Dry to medium                     | Spring                        | Pink  | Bees, Butterflies                                  |
| Purple Coneflower             | Echinacea purpurea             | Specimen,<br>Massing                      | Forb                | 2-3'/60 to 90<br>cm.     | Sun                          | Medium soil. Prairie                                     | Tolerates dry soil                | June to October               | Purple                                      | Butterflies  |
| Red Baneberry                 | Actaea rubra                   |   | Forb                | 1-3'/30 to 90<br>cm.     | Partial sun to<br>Shade      | moist, rich woods; Sand,<br>Loam, Clay                   |                                   | May and June                  | White flowers,<br>Red fruit                 | All parts are poisonous                            |
| Red-Osier Dogwood             | Cornus sericea                 |   | Shrub               | 3' to 10'                | Sun to part shade            | All types  | Moist                             | Late Spring -<br>Early Summer | White flowers,<br>blue berries              | Birds and mammals. Fruit eaten by birds in winter. |
| Sand Dropseed                 | Sporobolus<br>cryptandra       | Good for<br>xeriscape and<br>roof gardens | Grass               | 1 m h x .15<br>to .6 m w | Full sun to partial<br>shade | Tolerates moist but<br>prefers dry and sandy             | Dry                               | Summer                        | Yellow                                      | Deer, small mammals and<br>game birds              |
| Sandbank (Dry-Spike)<br>Sedge | Carex siccata                  |   | Grass               | 6 to 36<br>inches        | Full Sun                     | Sandy or rocky soil                                      | Dry                               | June to July                  | Yellow                                      | Sedges host butterflies                            |
| Shrubby St. John's Wort       | Hypericum prolificum           |   | Shrub               | 2 ft h x 3 ft w          | Full sun to partial<br>shade | sand, loam or light clay                                 |                                   | Mid-summer                    | Yellow                                      | Native bees and butterflie                         |
| Sky Blue Aster                | Aster oolentangiensis          |   | Forb                | 2-4'/30 to 80<br>cm.     | Sun to almost full shade     | Medium dry soil<br>Prairie/savannah                      |                                   | September,<br>October         | Sky blue flowers                            | Butterflies  |
| Smooth Rose                   | Rosa Blanda                    |   | Shrub               | 2-5'/60 to<br>150 cm.    | Sun                          | Dry sandy soil   |                                   | June to August                | Pale Pink                                   | Butterflies  |
| Spikenard                     | Aralia racemosa                |   | Shrub               | up to 6' tall,<br>bushy  | Partial shade                | Well-drained rich soil                                   | Moist to medium                   | Summer                        | Greenish white,<br>purple berries           | Poisonous fruit                                    |
| Switch Grass/Switch Grass     | Panicum virgatum               | Specimen,<br>Massing                      | Grass               | 4-6'/ 120 to<br>180 cm.  | Sun                          | Tall grass prairies, sand<br>dunes etc.                  | Medium to dry                     | Mid-summer to<br>autumn       | Purple in flower,<br>then tan               | Migrating birds eat seeds                          |
| Tall Meadow Rue               | Thalictrum<br>polygonatum      | Specimen                                  | Upright, forb       | 5'x2'                    | Part Sun to Part<br>Shade    | Rich, Woodland   | Medium                            | Summer                        | White to green                              | Bees   |
| Thimbleweed                   | Anemone cylindrica             | Specimen,<br>Massing                      | Forb                | 1 to 2 ft.               | Full sun to part<br>shade    | Sandy or gritty, dry to<br>medium, well-drained<br>soils | Dry to medium                     | June to July                  | Greenish-white                              |  |
| Tufted Hairgrass              | Deschampsia<br>caespitosa      |   | Grass<br>(clumping) | 5'x2'                    | Sun to part shade            | Average to rich  | Medium                            | Spring to<br>Summer           | Bronze grass<br>stems                       | Birds and mammals. Birds eat seedheads.            |
| lurtle head                   | Chelone glabra                 | Specimen,<br>Massing                      | Upright, forb       | 4'x1'                    | Full Sun to Part<br>Shade    | Rich, Woodland   | Medium to wet                     | Summer                        | White                                       | Bees, Butterflies                                  |
| Virginia Creeper              | Parthenocissus<br>guinguefolia | Salt tolerant                             | Vine                | 30' to 50'               | Full to partial shade        | Moist woodland   | Dry to moist                      | Summer                        | Green, berries                              | Birds and mammals                                  |
| Virginia Ground Cherry        | Physalis virginiana            | Can be<br>aggressive,<br>rhizomes         | Flower              | 1' to 3'                 | Sun to shade                 | Sandy, prairie   | Dry, mesic                        | Summer                        | Pale yellow                                 |  |
| Virginia Wild Rye             | Elymus virginicus              |   | Grass               | 2' to 3'                 | Sun to partial<br>shade      | Loam   | Moist                             | Summer                        | Green, brown<br>fruit                       | Songbirds, hummingbirds<br>and butterflies         |

|  | SHE T                            | Nativ                               | e Plai                 | nts G                               | Growing                      | g Condi                         | tions                  |                                  | J.                                | in the star  |  |
|--|----------------------------------|-------------------------------------|------------------------|-------------------------------------|------------------------------|---------------------------------|------------------------|----------------------------------|-----------------------------------|--|--|
| Common name                            | Botanical name                   | Use/Notes                           | Form                   | Size<br>(hxw)                       | Light                        | Soil                            | Moisture               | Bloom Time                       | Bloom Colour                      | Wildlife   |  |
| Virgin's Bower                         | Clematis virginiana              | Specimen,<br>Massing                | Vine or<br>Groundcover | up to 20'x6'                        | Full Sun to Part<br>Shade    | Average to rich                 | Moist to medium        | Summer (late)                    | White                             | Bees, Birds, Butterflies   |  |
| White Birch                            | Betula papyrifera                | aka Paper Birch,<br>canoes          | Tree                   | 20' to 50'                          | Sun to part shade            | Average to sandy                | Dry to medium          | Spring                           |                                   | Birds eat catkins, seeds   |  |
| White Snakeroot                        | Eupatorium rugosum               |                                     | Flower                 | 2'-4'                               | Sun to partial shade         | Average                         | Dry to medium          | Fall                             | White                             | Bees, butterflies, birds.  |  |
| White Upland Goldenrod                 | Solidago ptarmicoides            | Specimen,<br>Massing                | Upright, forb          | 3'x1'                               | Full Sun to Part<br>Shade    | Average, well drained           | Dry to medium          | Summer (late)                    | White                             | Bees, insects  |  |
| Wild Bergamot / Bee Balm               | Monarda fistulosa                | Massing                             | Upright, forb          | 4'x1'                               | Full Sun to Part<br>Shade    | Average to rich                 | Dry to medium          | Summer                           | Pink                              | Bees, Birds, Butterflies   |  |
| Wild Columbine                         | Aquilegia canadensis             | Specimen,<br>Massing                | Upright Forb           | 2'x1'                               | Part Sun to Part<br>Shade    | Average, well drained           | Medium                 | Spring                           | yellow, orange<br>and red         | Hummingbirds   |  |
| Wild Lettuce/White<br>rattlesnake-root | Prenanthes alba                  | Medicinal for<br>snakebite          | Forb                   | 2 to 3 ft avg.                      | Part shade to shade          | Well drained                    | Dry                    | Aug to Sept                      | White                             |  |  |
| Wood Poppy                             | Celadine poppy                   | sap used as dye                     | Flower                 | 11" to 1.5'                         | Partial to full<br>shade     | Rich, organic matter            | Moist, well<br>drained | Spring                           | Yellow                            | Ants   |  |
| Wood Rush                              | Luzula multiflora                |                                     | Rush                   | Up to 3'/Up<br>to 90 cm.            | Sun to partial<br>shade      | moist meadows and<br>Woodlands  |                        | Early spring                     | Red-brown                         |  |  |
| Woodland Flax                          | Linum virginianum                |                                     | Forb                   | 1 to 3 ft                           | Sun to partial<br>shade      | Moist, rich, slightly<br>acidic | Moist to dry           |                                  | Yellow                            | Biennial   |  |
| Woodland Raspberry                     | Rubus odoratus                   | Edible fruit but<br>dry and crumbly | Shrub                  | up to 1.8 m<br>high x 3.7 m<br>wide | Full sun to partial<br>shade | Average, well drained           | Medium                 | Summer                           | Rose-purple<br>flowers, red fruit | Song birds and mammals<br>eat berries                                    |  |
| Woodland Strawberry                    | Fragaria vesca                   | Low<br>Groundcover                  | Spreading              | .5'x1'                              | Full Sun to Part<br>Shade    | Rich, Meadow                    | Medium                 | Spring (late) to<br>early summer | White                             | Bees, Birds, Butterflies   |  |
| Yellow Birch                           | Betula lutea<br>(alleghaniensis) |                                     | Tree                   | 60' to 80'                          | Sun to part shade            | Upland, Rich,<br>Woodland       | Moist to medium        | Late Spring                      | Green flower,<br>brown nuts       | Butterfly larval plant, food<br>for birds, shelter, food for<br>mammals. |  |
| Zig Zag Goldenrod                      | Solidago flexicaulis             | Specimen,<br>Massing                | Upright, forb          | 4'x1'                               | Full Sun to Part<br>Shade    | Rich, Woodland                  | Dry to medium          | Summer (late)                    | Yellow                            | Bees, Birds, Butterflies   |  |